

**THE LIST OF DRUGS TO BE STUDIED ON CLINICAL
PHARMACOLOGY, MEDICAL FACULTY**

Hypolipidemic drugs

| Name in English | Name in Latin | Drug forms |
|------------------------|----------------------|----------------------|
| Atorvastatin | Atorvastatinum | tab. 10 mg |
| Nicotinic acid | Acidum Nicotinicum | flac. 1%; tab. 50 mg |
| Rosuvastatin | Rozuvastatinum | tab. 10, 20 mg |
| Simvastatin | Simvastatinum | tab. 10, 20 mg |
| Fenofibrate | Fenofibratum | cap. 0,1 g |

Antianginal drugs

| Name in English | Name in Latin | Drug forms |
|----------------------------------|-----------------------------|--|
| Isosorbide mononitrate | Isosorbidum mononitratum | cap., tab. 40; 60 mg |
| Isosorbide dinitrate | Isosorbidum dinitratum | tab. 20, 40 mg |
| Nitroglycerin | Nitroglycerinum | tab.5 mg; flac.1% –5 ml; ointment 1% |
| Molsidomine | Molsidominum | tab. 2 mg |
| Amlodipine | Amlodipinum | tab. 5; 10 mg |
| Verapamil | Verapamilum | tab. 40; 80 mg |
| Diltiazem | Diltiazem | tab. 30; 60 mg |
| Nifedipine | Nifedipinum | cap. 10; 20 mg |
| Ethacyzin | Aethacizinum | tab. 25; 50 mg |
| Amiodarone | Amiodaronum | tab. 200 mg |
| Lidocain | Lidocainum | amp. 0.5; 1; 2; 5; 10 % |
| Propafenone hydrochloride | Propafenonum hydrochloridum | tab. 150 mg |
| Sotalol | Sotalol | tab. 80; 160 mg |
| Procainamide | Procainamidum | tab.0,25 g, 10 % - 5 ml |
| Digoxin | Digoxinum | tab. 0.125; 0,25 mg, amp. 0,025% - 1 ml |
| Dobutamine | Dobutaminum | flac. 5 %- 55 ml; flac. 0,1; 0,25 |
| Dopamine | Dopaminum hydrochloridum | amp. 50; 200 mg №5 |
| Strophanthin | Strophanthinum | amp. 0,025 % - 1 ml |
| Atenolol | Atenololum | tabl. 0,1; 0,05 g |
| Bisoprolol | Bisoprololum | tabl. 2,5; 5; 10 g |
| Doxazosin | Doxazosinum | tabl. 2; 4 mg |
| Carvedilol | Carvedilolum | tabl. 12,5; 25; 50 mg |
| Metoprolol | Metoprololum | tabl. 50 mg |
| Nebivolol | Nebivololum | tabl. 5 mg |

Hypotensive drugs

| Name in English | Name in Latin | Drug forms |
|----------------------------|----------------------|---------------------------------------|
| Hydrochlorothiazide | Hydrochlorothiazidum | tab. 25 mg; 100 mg |
| Indapamide | Indapamidum | tab.1,5; 2,5 mg |
| Spirolactone | Spirolactonum | tab.25; 50; 100 mg |
| Torasemide | Torasemidum | amp.10 мг, tab. 10 mg |
| Furosemide | Furosemidum | tab. 40 mg, amp. 20 mg |
| Ivabradine | Ivabradinum | tab. 5; 7,5 mg |
| Enalapril | Enalaprilum | tab. 5; 10; 20; 40 mg |
| Captopril | Captoprilum | tab. 12,5; 25; 50; 100 mg |
| Lisinopril | Lisinoprilum | tab. 10; 40 mg |
| Perindopril | Perindoprilum | tab. 4; 8 mg |
| Ramipril | Ramiprilum | tab. 1,25; 2,5; 5; 10 mg |
| Fosinopril | Fosinoprilum | tab. 10; 40 mg |
| Valsartan | Valsartanum | tab. 80 mg, 160 mg |
| Irbesartan | Irbesartanum | tab. 75; 150 mg |
| Candesartan | Candesartanum | tab. 4;8; 16 mg |
| Losartan | Losartanum | tab. 50; 100 mg |
| Telmisartan | Telmisartanum | tab. 40; 80 mg |
| Methyldopa | Alpha methyldopa | tab. 250 mg |
| Clonidine | Clonidinum | tab. 0.075; 0,15 mg; amp. 0,01% -1 ml |

Drugs for respiratory system

| Name in English | Name in Latin | Drug forms |
|-----------------------------------|------------------------------|---|
| Epinephrine | Epinephrinum | amp. 0,18 % 1 ml №10 |
| Ambroxol | Ambroxolum | tab. 30 mg; amp. 0,75% |
| Acetylcysteine | Acetylcysteinum | tab. 100 mg; cap.200; 400 mg |
| Euphyllin | Euphyllinum | tab. 150 мг; amp. 2,4% |
| Tiotropium bromide | Tiotropium bromidum | aerosol 18 µg |
| Nedocromil sodium | Nedocromilum natricum | aerosol 1 dose - 2 mg |
| Salbutamol | Salbutamolum | aerosol 200 dose; tab. 2;4 mg |
| Salmeterol | Salmeterolum | aerosol 25 µg -120/doses |
| Fenoterol | Fenoterolum | aerosol 0,1 mg |
| Beclometasone dipropionate | Beclometasonum dipropionatum | aerosol 50; 100; 250 µg /dose flac. 200 doses |
| Montelukast | Montelukastum | tab. 10 mg |
| Hydrocortisone | Hydrocortisonum | amp.100; 500 mg; ointment 0,1;1;5 %; cream 0,1% |

| | | |
|---------------------------|----------------------|-----------------------------------|
| Dexamethason e | Dexamethasonum | tab.500 mg; amp. 4 mg – 1 ml |
| Diclofenac sodium | Natrium diclofenacum | tab. 25; 50 mg |
| Meloxicam | Meloxicamum | tab. 7,5; 15 mg; supp. 7,5; 15 mg |
| Methylprednisolone | Methylprednisolonum | tab. 4,8 mg; amp. 0,4 % |
| Nimesulide | Nimesulidum | tab. 100 mg; flac. 1% |
| Prednisolone | Prednisolonum | tab. 5 mg; amp. 25; 30 mg – 1ml |
| Rofecoxib | Rofecoxibum | tab. 25; 50 mg |
| Celecoxib | Celecoxibum | cap. 100; 200 mg |
| Paracetamol | Paracetamol | tab. 325; 500 mg, cap.500 mg |

Hormones

| Name in English | Name in Latin | Drug forms |
|---------------------------------|----------------------------|---------------------------------------|
| Insulin glargine | Insulin glargine | flac. 10 ml, cart. 3 ml (1 ml–100 IU) |
| Insulin glulisine | Insulin glulisine | flac. 10 ml, cart. 3 ml (1 ml–100 IU) |
| Insulin actrapid | Insulin actrapid | flac. 10 ml, cart. 3 ml (1 ml–100 IU) |
| Insulin isophane | Insulin isophane | flac. 10 ml, cart. 3 ml (1 ml–100 IU) |
| Glibenclamide | Glibenclamidum | tab. 5 mg |
| Gliclazide | Gliclazidum | tab. 60 mg |
| Glimepiride | Glimepiridum | tab. 2; 3; 4; 6 mg |
| Metformin | Metforminum | tab. 500; 850; 1000 mg |
| Levothyroxine | Levothyroxinum | tab. 25; 50; 75; 100; 125 mg. |
| Methimazole | Methimazole | tab. 5 mg |
| Testosterone undecanoate | Testosteronum undecanoatum | amp. 4 ml-1000 mg |
| Oxytocin | Oxytocinum | amp. 5 IU 1 ml |
| Progesterone | Progesteronum | tab. 100 mg, |
| Estradiol | Estradiolum | tab. 50 mg |
| Diane 35 | Diane 35 | №21 |
| Lindynette | Lindynette | № 21 |
| Novynette | Novynette | № 21 |
| Cyproterone | Cyproteronum | tab. 100 mg, amp. 300 mg |

Antibacterial agents

| Name in English | Name in Latin | Drug forms |
|-------------------------|----------------------|---|
| Azithromycin | Azithromycinum | tab. 125; 500 mg; cap. 250 mg |
| Amikacin | Amikacinum | amp. 50; 125; 250; 500 mg – 1 ml |
| Amoxicillin | Amoxicillinum | tab. 250; 500 mg |
| Acyclovir | Acyclovirum | tab. 200, 400, 800 mg |
| Benzylpenicillin | Benzylpenicillinum | flac. 25000; 50000; 1 mln. IU |
| Vancomycin | Vancomycinum | flac. 500; 1000 mg |
| Gentamicin | Gentamicinum | amp. 10; 20; 40 mg - 1 ml; ointment 0,1%; aerosol 0,1 % |
| Doxycycline | Doxycyclinum | cap., tab. 50; 100; 200 mg |
| Imipenem | Imipenemum | flac. 500 mg |
| Interferon alfa | Interferonum alfa | sol. 10, 18, 25, 30, 60 mln. IU |
| Clarithromycin | Clarithromycinum | tab. 250 mg; flac. 500 mg |
| Clindamycin | Clindamycinum | cap. 75; 150; 300 mg; amp. 2;4 ml |
| Levofloxacin | Levofloxacinum | tab. 250; 500 mg; flac. 5 mg/ml - 100 ml |
| Rifampicin | Rifampicinum | cap.150; 300 mg; amp. 125 mg – 1,5 ml; 250 mg –3 ml; 500 mg – 10 ml |
| Ribavirin | Ribavirinum | cap. 100, 200 mg |
| Streptomycin | Streptomycinum | flac. 500; 1000 mg |
| Sulfadimethoxine | Sulfadimethoxinum | tab. 200; 500 mg |
| Sulfasalazine | Sulfasalasinum | tab. 500 mg |
| Tetracycline | Tetracyclinum | cap. 250; 500 mg |
| Tobramycin | Tobramycinum | amp.10; 20; 40 mg –1 ml; ointment 0,3% |
| Fluconazole | Fluconazolium | cap. 50, 100, 150 mg |
| Cefalexin | Cephalexinum | tab. 50; 250; 1000 mg; cap. 250; 500 mg |
| Cefepime | Cefepimum | flac. 500 mg; 1; 2 g |
| Cefotaxime | Cefotaximum | flac. 250; 500 mg; 1; 2 g |
| Ceftriaxone | Ceftriaxonum | flac. 250; 500 mg; 1; 2 g |
| Cefuroxime | Cefuroximum | flac. 250; 750; 1500 mg; tab. 125; 250; 500 mg |
| Ceftazidime | Ceftazidimum | flac. 0,5, 1,2 g |
| Ciprofloxacin | Ciprofloxacinum | tab. 250; 500; 750 mg; amp. 10; 20 mg – 1 ml |

GIT

| Name in English | Name in Latin | Drug forms |
|----------------------------------|-----------------------------|---------------------------------|
| Atropine sulphate | Atropinum sulfuricum | amp. 0,1 %; tab. 0,5 mg |
| Bismuth subnitrate | Bismuthum subcitratum | tab. 0,12 |
| Domperidone | Domperidonum | tab. 10 mg |
| Drotaverine hydrochloride | Drotaverinum hydrochloridum | tab. 40 mg; amp. 2% – 2 ml |
| Lactulose | Lactulosum | syrup 200 ml |
| Loperamide | Loperamidum | tab. 2 mg |
| Mebeverine hydrochloride | Mebeverinum hydrochloridum | tab. 200 mg |
| Metoclorpramide | Metoclorpramidum | tab. 10 mg; amp. 2 ml |
| Omeprazole | Omeprazolom | cap. 20 mg |
| Pirenzepine | Pirenzepinum | tab. 25; 50 mg; amp. 0,5% |
| Prifinium bromide | Prifinium bromidum | tab. 30 mg, syrup |
| Rabeprazole | Rabeprazolum | tab. 20 mg |
| Sucralfate | Sucralfatum | tab. 500; 1000 mg |
| Famotidine | Famotidine | tab. 20; 40 mg; flac. 0,02 g |
| Ademethyonine | Ademethyoninum | flac. 400 ml |
| Essentiale Forte N | Essential forte N | cap. 300 mg; amp. 250 mg – 5 ml |
| Octreotide | Octreotide | amp. 100 |
| Pancreatin | Pancreatinum | tab. 0.25 |
| Silimarin | Silimarinum | tab. 0,04 |
| Ursodesoxycholic acid | Acidum ursodeoxycholicum | cap. 250 mg |
| Cholagol | Cholagolum | flac. 10 ml |
| Citrarginine | Citrarginine | amp. 10 ml |

Anticoagulants

| Name in English | Name in Latin | Drug forms |
|------------------------|----------------------|---|
| Alteplase | Alteplase | flac.. 50 mg № 2 |
| Aminocapronic acid | Aminocapronic acid | flac. 5 % - 100 ml |
| Acetylsalicylic acid | Acetylsalicylic acid | tab. 100;300;325;500 mg; tab. 350 mg; |
| Warfarinum | Warfarinum | tab. 1; 3; 5 mg |
| Heparin sodium | Heparin sodium | flac. 5 thousands; 25 тис. IU – 1 ml; gel 1000 IU-1 g |
| Etamsylate | Etamsylate | tab.0,25 №100 amp. 2 ml-12.5% |
| Enoxaparinum | Enoxaparinum | Syringe.0.4; 0.8 |
| Nadroparinum | Nadroparinum | Syringe.0.3; 0.6; 0,8 |
| Streptokinase | Streptokinase | flac. 100 thousands; 250 thousands; 600 thousands; 1mill. ; 5 millions IU |
| Clopidogrel | Clopidogrel | tab. 75 mg |