

Powders

1. Rp.: Diphenylhydramine Hydrochloride
(Dimedroli) 0,005
Sacchari 0,3
Mix to make a powder
Give such doses number 10
Label: Take one powder by mouth b.i.d. with
small quantity of water

2. Rp: Magnesii oxydi
Natrii hydrocarbonatis ana 0,2
Mix to make a powder
Give such doses number 15
Label: Take one powder 3 times a day.

3. Rp: Riboflavine 0,01
Ascorbic Acid 0,15
Glucose 0,2
Mix to make a powder
Give such doses number 10
Label: Take one powder 3 times a day.

4. Rp.: Camphore 0,2
Glucose 0,3
Mix to make a powder
Give such doses number 10
Label: Take one powder by mouth b.i.d. with
small quantity of water

5. Rp.: Zinc Oxide 5,0
Salicylic Acid 0,2
Starch 5,0
Dispence fine powder.
Label: Dusting powder

6. Rp.: Magnesium oxide
Bismuth Subnitrate
Calcium gluconate aa 0.1
Mix to make a powder
Give such doses number 10
Label. Take 1 powder 3 times a day

7. Rp.: Ethacridine lactate 0.05
Glucose 0.25
Mix to form a powder
Give such doses number 5.
Label. For powder 3 times a day

8. Rp.: Codeine phosphate 0.02
Camphor 0.1
Sucrose 0.2
Give such doses number 6.
Label. Take 1 powder 3 times a day`

9. Rp.: Codeine phosphate 0.02
Sodium bicarbonate
Sodium benzoate aa 0.2
Mix to make a powder
Give such doses number 6.
Label. Take 1 powder 3 times

10. Rp.: Scopolamini hydrobromide 0.0002
Sucrose 0.25
Mix to make a powder
Give such doses number 6.
Label. 1 powder 3 times a day

11. Rp.: Atropine sulphate 0.0003
Theophylline 0.1
Sucrose 0.2
Mix to make a powder
Give such doses number 6.
Label. 1 powder 3 times a day

12. Rp.: Promedoli 0,003
Codeine 0.01
Analgin 0.15
Sucrose 0.2
Mix to make a powder
Give such doses number 6.
Label. Take 1 powder 3 times a day

13. Rp.: Phenobarbital
Belladonna extract aa 0,02
Sucrose 0,25
Mix to form a powder
Give such doses number 10.
Label. Take 1 powder 3 times a day.

14. Rp.: Belladonna extract 0,03
Sucrose
Sodium bicarbonate aa 0,25
Mix to form a powder.
Give such doses number 12.
Label. Take 1 powder 2-3 times a day.

Liquid preparations

15. Rp.: Pepsine 0,5
Hydrochloric Acid Solution 1,5% - 100 ml
Mix. Give Label.
Take 1 tablespoon of the solution. Use t. i d.
before meals
16. Rp.: Menthol 2,0
Benzocaine (Anaesthesine)
Procaine Hydrochloride ana 2,5
Ethanol 70% 50ml
Mix. Give Label. Use for cutaneous application.
17. Rp.: Potassium Bromidi
Sodium bromidi ana 1,0
Adoniside 5 ml
Valerian Tincture 5 ml
Purified Water 100 ml
Mix. Give Label. Take 5 ml of the solution.
Use b. i d. after meals.
18. Rp.: Sodium salicylate 3% 100,0
Valerian Tincture 5 ml
Mix. Give Label. Take 5 ml of the solution.
Use b. i d. after meals.
19. Rp.: Iodine 0,5
Potassium Iodide 1,0
Purified Water 1ml
Glycerol sufficient to produce 10,0
Label: Lugol's solution. Take a small quantity
of the solution and apply on
the skin near the throat.
20. Rp.: Codeine Phosphate 0,5
Purified Water 1,5 ml
Chloroform Spirit 2,5 ml
Syrup sufficient to produce 100ml
21. Rp.: Boric Acid 3,0
Peppermint Water 50ml
Purified Water sufficient to produce 100 ml
Make up the emulsion.
Label: Take ½ of glass of the solution and
prepare gargle. Use t. i d. after meals
22. Rp.: Potassium Iodide Solution
from 2.0:100 ml
Sodium Bicarbonate 3.0
Syrup Simplex 10 ml
Mix. Give Label.
Take 1 tablespoon of the solution 3 times a
day
23. Rp.: Phenobarbitone 0.2
Chloral Hydrate Solution from 0.3 150 ml
Sodium Bromide 0.6
Valerian Tincture
Lily of the Valley Tincture of each 5 ml
Mix. Give Label.
Take 1 tablespoon of the solution 3 times a
day
24. Rp.: Pumpkin Seed Emulsion 50.0
Give. Label. Take once (for child of the 6
years' age)
25. Rp.: 10. Oil Emulsion 100.0
Camphor 1.0
Menthol 1.0
Mix. Give. Label. Take 1 tablespoon 3 times
a day

Semi-solid preparations

26. Rp.: Zinc Oxide 2,4
Salicylic Acid 0,2
Starch 2,4
White Soft Paraffin 5,0
Make up a paste.
Label: Lassar's Paste. Rub thoroughly on the
surface of the wounded skin.
27. Rp.: Salicylic Acid 1,0
White Soft Paraffin 50,0
Make up a paste.
Label: Use for cutaneous application
28. Rp.: Atropine Sulphate 0,05
Anhydrous Wool Fat 1,0
White Soft Paraffin 9,0
Make up sterile ointment!
Label: Atropine Eye ointment.
29. Rp.: Menthol 0.1
Methyl salicylate 1.0
Lanolin anhydrous 20.0
Mix to form an ointment
Give. Mark. For greasing joints

30. Rp.:Streptocide 0,3
Aerosyl 0,2
Oil Vaseline sufficient to produce 10,0
Mix to form an ointment.
Give. Mark. Apply to the affected areas

31. Rp.:Norsulfazol 0,5
Lanolin anhydrous
Vaseline ana 5,0
Mix to form an ointment.
Give. Mark. Nasal ointment

32. Rp.:Iodine 1,0
Tannin 0,5
Lanolin 5,0
Vaseline 10,0
Mix to form an ointment
Give. Mark. Apply to affected skin

33. Rp.: Streptocid 1,0
Zinc Oxide 2,0
Ephedrini Hydrochloride 0,2
Sol. Adrenalini Hydrochloride 0,1 % X drops
White Soft Paraffin 10,0
Wool Fat 5,0
Make up an ointment.
Label: Nasal ointment.

Aseptic preparations

34. Rp.:Glucose intravenous infusion 5% - 50 ml
Make solution. Sterilize!
Label: Solution for preparing intravenous infusions.

35. Rp.: Procaine Hydrochloride solution 0,5% - 50 ml
Make solution. Sterilize!
Label: Solution for preparing intravenous infusions.

36. Rp.: Sodium Bicarbonate Eye Lotion 2% - 50 ml.
Make up isotonic solution. Sterilize!
Label: Sodium Bicarbonate Eye Lotion

37. Rp.: Atropine Sulphate solution 0,5 % 10 ml
Make sterile eye drops!
Label: Atropine Eye drops.

38. Rp.:Benzylpenicillin Sodium 100 000 IU
Anhydrous Wool Fat 2,0
White Soft Paraffin 8,0
Make up ointment. Sterilize!
Label: Eye Ointment.

39. Rp.:Atropine sulfate injection 0,1 % 200 ml
Sodium chloride sufficient to produce isotonic solution
Sterilize!
Give. Mark. For intravenous injections by 0.25 ml

40. Rp.:Calcium chloride Solution 0,25 % 400 ml
Glucose sufficient to produce isotonic solution
Sterilize!
Give. Mark. For intravenous use

41. Rp.: Sodium Chloride isotonic solution 50 ml
Make up isotonic solution.
Sterilize!
Label: Solution for preparing intravenous infusions.

42. Rp.: Riboflavin 0,001
Solution of potassium iodide 3% 10 ml
Give. Mark. 1-2 drops 3-4 times a day

43. Rp.: Zinc oxide Ointment 1% 10.0
Give. Label. Put under the eyelid

44. Rp.: Sulphanilamide Ointment 1% 10.0
Give. Label. Eye ointment

45. Rp.: Resorcinol 0.05
Vaseline 9.0
Lanolin anhydrous 1.0
Mix to produce ointment.
Give. Label. Eye ointment

46. Rp.: Thiamine bromide 0.1
Bases for eye ointments 10.0
Mix to form ointment.
Give. Label. Eye ointment

47. Rp.: Brilliant green alcohol solution of 1%-
50 ml
Sterilize!
Give. Mark.

48. Rp.: Collargolum solution of 2 % - 20 ml
Sterilize! Give. Mark.

49. Rp.: Phenobarbitone 0,03
Ephedrine 0,05
Euphilline 0,25
Dispence fine powders N 10
Label: Take one powder by mouth b.i.d. with
small quantity of water.
Take before meals.

50. Rp.: Rp.: Camphor 0,2
Menthol 0,1
Glucose 0,3
Dispence fine powders N 3
Label: Take one powder by mouth h.s. small
quantity of water