(second semester) - "Not infected and infected wounds. Healing by primary and secondary intention. Principles of medical tactics"

- 1. Healing by secondary intention is characteristic for wounds:
  - a) Aseptic
  - b) After primary surgical processing
    - c) Infected (contaminated)
      - d) Fresh
      - e) Superficial

Choose correct answer

- 2. What kind of the wounds accompanied by severe bleeding?
  - a) chopped
  - b) bruised
  - c) lacerated
    - d) bitten
      - e) cut
- 3. The most difficult complication of the bitten wounds is:
  - a) bleeding
  - b) malaria
  - c) fury (rabies)
  - d) osteomyelitis
  - e) viral hepatitis

## Test of the highest degree of difficulty

- 4. What wound heals faster than other ?
  - a) With red large granular granulations
  - b) With crimson small sized granular granulations
    - c) With pale pink large granular granulations
      - d) With "glasslike" granulations
        - e) With hypergranulations

## Choose correct answer

- 5. Gaping of the wound (hiatus) [its divergence of edges] is stipulated by?
  - a) Regeneration of the tissues
    - b) Hydration of the tissues
    - c) Elasticity of the tissues
  - d) Dehydration of the tissues
  - e) Reductioning of the tissues

(second semester) - "Not infected and infected wounds. Healing by primary and secondary intention. Principles of medical tactics"

- 1. What kind of the wounds accompanied by severe bleeding?
  - a) chopped
  - b) bruised
  - c) lacerated
    - d) bitten
      - e) cut
- 2. The most difficult complication of the bitten wounds is:
  - a) bleeding
  - b) malaria
  - c) fury (rabies)
  - d) osteomyelitis
  - e) viral hepatitis

# Test of the highest degree of difficulty

- 3. What wound heals faster than other ?
  - a) With red large granular granulations
  - b) With crimson small sized granular granulations
    - c) With pale pink large granular granulations
      - d) With "glasslike" granulations
        - e) With hypergranulations

## Choose correct answer

- 4. Gaping of the wound (hiatus) [its divergence of edges] is stipulated by?
  - a) Regeneration of the tissues
    - b) Hydration of the tissues
    - c) Elasticity of the tissues
  - d) Dehydration of the tissues
  - e) Reductioning of the tissues

## Choose correct answer

- 5. Healing by secondary intention is characteristic for wounds:
  - a) Aseptic
  - b) After primary surgical processing
    - c) Infected (contaminated)
      - d) Fresh
      - e) Superficial

(second semester) - "Not infected and infected wounds. Healing by primary and secondary intention. Principles of medical tactics"

- 1. Healing by secondary intention is characteristic for wounds:
  - a) Aseptic
  - b) After primary surgical processing
    - c) Infected (contaminated)
      - d) Fresh
      - e) Superficial

Choose correct answer

- 2. What kind of the wounds accompanied by severe bleeding?
  - a) chopped
  - b) bruised
  - c) lacerated
    - d) bitten
      - e) cut

Test of the highest degree of difficulty

- 3. What wound heals faster than other ?
  - a) With red large granular granulations
  - b) With crimson small sized granular granulations
    - c) With pale pink large granular granulations
      - d) With "glasslike" granulations
        - e) With hypergranulations

#### Choose correct answer

- 4. Gaping of the wound (hiatus) [its divergence of edges] is stipulated by?
  - a) Regeneration of the tissues
    - b) Hydration of the tissues
    - c) Elasticity of the tissues
  - d) Dehydration of the tissues
  - e) Reductioning of the tissues

- 5. The most difficult complication of the bitten wounds is:
  - a) bleeding
  - b) malaria
  - c) fury (rabies)
  - d) osteomyelitis
  - e) viral hepatitis

(second semester) - "Not infected and infected wounds. Healing by primary and secondary intention. Principles of medical tactics"

- 1. Healing by secondary intention is characteristic for wounds:
  - a) Aseptic
  - b) After primary surgical processing
    - c) Infected (contaminated)
      - d) Fresh
      - e) Superficial

Choose correct answer

- 2. The most difficult complication of the bitten wounds is:
  - a) bleeding
  - b) malaria
  - c) fury (rabies)
  - d) osteomyelitis
  - e) viral hepatitis

# Test of the highest degree of difficulty

- 3. What wound heals faster than other ?
  - a) With red large granular granulations
  - b) With crimson small sized granular granulations
    - c) With pale pink large granular granulations
      - d) With "glasslike" granulations
        - e) With hypergranulations

#### Choose correct answer

- 4. Gaping of the wound (hiatus) [its divergence of edges] is stipulated by?
  - a) Regeneration of the tissues
    - b) Hydration of the tissues
    - c) Elasticity of the tissues
  - d) Dehydration of the tissues
  - e) Reductioning of the tissues

- 5. What kind of the wounds accompanied by severe bleeding?
  - a) chopped
  - b) bruised
  - c) lacerated
    - d) bitten
      - e) cut

(second semester) - "Not infected and infected wounds. Healing by primary and secondary intention. Principles of medical tactics"

- 1. What kind of the wounds accompanied by severe bleeding?
  - a) chopped
  - b) bruised
  - c) lacerated
    - d) bitten
      - e) cut
- 2. The most difficult complication of the bitten wounds is:
  - a) bleeding
  - b) malaria
  - c) fury (rabies)
  - d) osteomyelitis
  - e) viral hepatitis

# Test of the highest degree of difficulty

- 3. What wound heals faster than other ?
  - a) With red large granular granulations
  - b) With crimson small sized granular granulations
    - c) With pale pink large granular granulations
      - d) With "glasslike" granulations
        - e) With hypergranulations

## Choose correct answer

- 4. Healing by secondary intention is characteristic for wounds:
  - a) Aseptic
  - b) After primary surgical processing
    - c) Infected (contaminated)
      - d) Fresh
      - e) Superficial

## Choose correct answer

- 5. Gaping of the wound (hiatus) [its divergence of edges] is stipulated by?
  - a) Regeneration of the tissues
    - b) Hydration of the tissues
    - c) Elasticity of the tissues
  - d) Dehydration of the tissues
  - e) Reductioning of the tissues

(first semester) - "wounds"

- 1. What is Latin equivalent to the term "wound"?
  - a) Valvulus
  - b) Vabices
  - c) Vulnus
  - d) Ruber
  - e) Ruptura
- 2. What kind of the wound accompanied by severe bleeding?
  - a) Chopped
  - b) Bruised
  - c) Lacerated
    - d) Bitten
    - e) Incised
- 3. Healing of the wound by primary intension is possible at all indicated circumstances, excepting:
  - a) Full and dense contact of the tissues
  - b) Absence of infection in the wound
  - c) Preservation of viability of the wound edges
    - d) Availability of hematoma
  - e) Absence of the foreign bodies and necrosis
    - f) Violations of the blood microcirculation

#### Choose correct answer

- 4. What factors determine the pain intensity in the wound?
  - a) Condition of the cardio vessel system
  - b) Amount of the nervous terminations in area of the wound
    - c) Condition of endocrine system
    - d) Sharpness of the damaging agent
      - e) Nervous and mental condition

## Choose correct combination of answers

- 5. What from the indicated parameters characterize I phase (hydration) of the wound healing?
  - 1) Increase of osmotic pressure
  - 2) Alkalinization of the tissues
  - 3) Amplification of phagocytosis
  - 4) Decrease (reduction) of metabolism
  - 5) Increase o metabolism
  - 6) Acidosis of the tissues
  - 7) Depressing of phagocytosis
  - 8) Decreasing of osmotic pressure

Choose correct combination of answers

A) 1, 3, 4, 7 B) 1, 2, 5, 7 C) 2, 3, 5, 8 D) 1, 3, 5, 6 E) 2, 4, 6, 8.

(first semester) - "wounds"

- 1. What kind of the wound accompanied by severe bleeding?
  - a) Chopped
  - b) Bruised
  - c) Lacerated
    - d) Bitten
  - e) Incised
- 2. Healing of the wound by primary intension is possible at all indicated circumstances, excepting:
  - a) Full and dense contact of the tissues
  - b) Absence of infection in the wound
  - c) Preservation of viability of the wound edges
    - d) Availability of hematoma
  - e) Absence of the foreign bodies and necrosis
    - f) Violations of the blood microcirculation

#### Choose correct answer

- 3. What factors determine the pain intensity in the wound?
  - a) Condition of the cardio vessel system
  - b) Amount of the nervous terminations in area of the wound
    - c) Condition of endocrine system
    - d) Sharpness of the damaging agent
      - e) Nervous and mental condition

## Choose correct combination of answers

- 4. What from the indicated parameters characterize I phase (hydration) of the wound healing?
  - 1) Increase of osmotic pressure
  - 2) Alkalinization of the tissues
  - 3) Amplification of phagocytosis
  - 4) Decrease (reduction) of metabolism
  - 5) Increase o metabolism
  - 6) Acidosis of the tissues
  - 7) Depressing of phagocytosis
  - 8) Decreasing of osmotic pressure

#### Choose correct combination of answers

A) 1, 3, 4, 7 B) 1, 2, 5, 7 C) 2, 3, 5, 8 D) 1, 3, 5, 6 E) 2, 4, 6, 8.

- 5. What is Latin equivalent to the term "wound"?
  - a) Valvulus
  - b) Vabices
  - c) Vulnus
  - d) Ruber
  - e) Ruptura

(first semester) - "wounds"

- 1. Healing of the wound by primary intension is possible at all indicated circumstances, excepting:
  - a) Full and dense contact of the tissues
  - b) Absence of infection in the wound
  - c) Preservation of viability of the wound edges
    - d) Availability of hematoma
  - e) Absence of the foreign bodies and necrosis
    - f) Violations of the blood microcirculation

## Choose correct answer

- 2. What factors determine the pain intensity in the wound?
  - a) Condition of the cardio vessel system
  - b) Amount of the nervous terminations in area of the wound
    - c) Condition of endocrine system
    - d) Sharpness of the damaging agent
      - e) Nervous and mental condition

#### Choose correct combination of answers

- 3. What from the indicated parameters characterize I phase (hydration) of the wound healing?
  - 1) Increase of osmotic pressure
  - 2) Alkalinization of the tissues
  - 3) Amplification of phagocytosis
  - 4) Decrease (reduction) of metabolism
  - 5) Increase o metabolism
  - 6) Acidosis of the tissues
  - 7) Depressing of phagocytosis
  - 8) Decreasing of osmotic pressure

## Choose correct combination of answers

- A) 1, 3, 4, 7 B) 1, 2, 5, 7 C) 2, 3, 5, 8 D) 1, 3, 5, 6 E) 2, 4, 6, 8.
- 4. What is Latin equivalent to the term "wound"?
  - a) Valvulus
  - b) Vabices
  - c) Vulnus
  - d) Ruber
  - e) Ruptura
- 5. What kind of the wound accompanied by severe bleeding?
  - a) Chopped
  - b) Bruised
  - c) Lacerated
    - d) Bitten
  - e) Incised

(first semester) - "wounds"

- 1. What factors determine the pain intensity in the wound?
  - a) Condition of the cardio vessel system
  - b) Amount of the nervous terminations in area of the wound
    - c) Condition of endocrine system
    - d) Sharpness of the damaging agent
      - e) Nervous and mental condition

Choose correct combination of answers

- 2. What from the indicated parameters characterize I phase (hydration) of the wound healing?
  - 1) Increase of osmotic pressure
  - 2) Alkalinization of the tissues
  - 3) Amplification of phagocytosis
  - 4) Decrease (reduction) of metabolism
  - 5) Increase o metabolism
  - 6) Acidosis of the tissues
  - 7) Depressing of phagocytosis
  - 8) Decreasing of osmotic pressure

Choose correct combination of answers

A) 1, 3, 4, 7 B) 1, 2, 5, 7 C) 2, 3, 5, 8 D) 1, 3, 5, 6 E) 2, 4, 6, 8.

- 3. What is Latin equivalent to the term "wound"?
  - a) Valvulus
  - b) Vabices
  - c) Vulnus
  - d) Ruber
  - e) Ruptura
- 4. What kind of the wound accompanied by severe bleeding?
  - a) Chopped
  - b) Bruised
  - c) Lacerated
    - d) Bitten
  - e) Incised
- 5. Healing of the wound by primary intension is possible at all indicated circumstances, excepting:
  - a) Full and dense contact of the tissues
  - b) Absence of infection in the wound
  - c) Preservation of viability of the wound edges
    - d) Availability of hematoma
  - e) Absence of the foreign bodies and necrosis
    - f) Violations of the blood microcirculation

(first semester) - "wounds"

- 1. What from the indicated parameters characterize I phase (hydration) of the wound healing?
  - 1) Increase of osmotic pressure
  - 2) Alkalinization of the tissues
  - 3) Amplification of phagocytosis
  - 4) Decrease (reduction) of metabolism
  - 5) Increase o metabolism
  - 6) Acidosis of the tissues
  - 7) Depressing of phagocytosis
  - 8) Decreasing of osmotic pressure

## Choose correct combination of answers

A) 1, 3, 4, 7 B) 1, 2, 5, 7 C) 2, 3, 5, 8 D) 1, 3, 5, 6 E) 2, 4, 6, 8.

- 2. What is Latin equivalent to the term "wound"?
  - a) Valvulus
  - b) Vabices
  - c) Vulnus
  - d) Ruber
  - e) Ruptura
- 3. What kind of the wound accompanied by severe bleeding?
  - a) Chopped
  - b) Bruised
  - c) Lacerated
    - d) Bitten
  - e) Incised
- 4. Healing of the wound by primary intension is possible at all indicated circumstances, excepting:
  - a) Full and dense contact of the tissues
  - b) Absence of infection in the wound
  - c) Preservation of viability of the wound edges
    - d) Availability of hematoma
  - e) Absence of the foreign bodies and necrosis
    - f) Violations of the blood microcirculation

#### Choose correct answer

- 5. What factors determine the pain intensity in the wound?
  - a) Condition of the cardio vessel system
  - b) Amount of the nervous terminations in area of the wound
    - c) Condition of endocrine system
    - d) Sharpness of the damaging agent
      - e) Nervous and mental condition

Choose correct combination of answers